



Plumbing and Sanitary

3monkeez®
innovate. create. deliver.



2026

3monkeez®

www.3monkeez.com.au
sales@3monkeez.com.au

3monkeez[®]

MISSION STATEMENT

Put people first. Build a great product.
Reinvent industry expectations.

At 3monkeez, we understand that building a great quality and reliable product is only part of the story.

We provide an experience for our customers that exceeds expectations and makes us a trusted supplier of commercial plumbing and catering products across Australia. By putting people first our highly trained team can not only provide the right product and support, they also work closely with our customers to build long-lasting and rewarding relationships.

Through our commitment to manufacturing exceptional products and offering an unmatched experience for our customers we always strive to exceed and reinvent customer expectations when it comes to dealing with 3monkeez.

GUARDIAN[®]
TAPWARE

SCRAPTRAP[®]
THE ONLY RECYCLED PRODUCT AVAILABLE FOR COMMERCIAL APPLICATIONS

HEEL GUARDIAN[™]

IN2GR8
LINEAR DRAIN SYSTEM

GUARDIANCARE[®]

CLEANJET[®]
STAINLESS STEEL

GUARDIAN[®]
ZERO TOUCH



People are at the centre of everything we do. We provide industry leading customer service with a highly trained team of professionals available across Australia.



As a supplier of commercial stainless steel products for over 30 years the quality of our products matter to us. Our products will always provide creative and reliable solutions.



We are committed to providing innovative solutions that exceed customer expectations through our customer service, products, resources and unbeatable delivery times.

Plumbing & Sanitary

Contents

Deluxe Slab Urinal	4	Cistern Spare Parts	32
Standard Slab Urinal	5	Pedestal Toilet Pan - P Trap	33
Standard Wall Hung Urinal - Off The Shelf	6	Pedestal Toilet Pan - S Trap	34
Standard Wall Hung Urinal - Off The Shelf Including complete Kit	7	Pedestal Toilet Pan - P Trap with Seat	35
Standard Wall Hung Urinal - Custom Made	8	Pedestal Toilet Pan - S Trap with Seat	36
Urinette	9	Wall Faced Toilet Pan	37
Urinette and Accessories Kit	10	Ambulant Wall Faced Toilet Pan	38
Pod Urinal	11-12	Disabled Compliant Wall Faced Toilet Pan	39
Adaptors	13	Wall Faced Close Coupled Toilet Pan	40
Grate Covers	14	Ambulant Wall Faced Close Coupled Toilet Pan	41
Spreaders	15	Disabled Compliant Wall Faced Close Coupled Toilet Pan	42
Urinal Accessories Kit	16	Long Drop Toilet Pan	43-44
Stainless Steel Pull Chain Cistern	17-18	Combination Unit 90	45
Stainless Steel Dual flush Cistern	19-20	Combination Unit 45	46
Stainless Steel Disabled Compliant Dual Flush Cistern	21-22	Stainless Steel Pedestal Slop Hopper - P Trap - Made to Order	47
Stainless Steel Front Press Cistern	23-24	Stainless Steel Pedestal Slop Hopper - S Trap - Made to Order	48
Stainless Steel Side Press Cistern	25-26	Stainless Steel Wall Faced Slop Hopper - Made to Order	49
Stainless Steel Cistern Case	27	Toilet Seats	50
Wall Mount Push Button Kit	28		
In Wall Cistern	29-30		
Flushpipes	31		


Warranty Exclusions: Cistern valves, cistern buttons and pan bends are NOT included in the warranty period.



Deluxe Slab Urinal

M-DSUR

- Constructed from 1.2mm 304 Grade Stainless Steel
- Outlet Position as Required
- Length as Required
- Rear or Top Inlet Available
- Suitable for Use with Self Flushing Systems
- Custom Made Products Incur a Lead Time



Optional Top Inlet Accessories Kit
M-URACCKIT
Includes pull chain cistern, sparge adaptor, flush pipe




Plumbing & Sanitary



Standard Slab Urinal

M-SSUR

- Constructed from 1.2mm 304 Grade Stainless Steel
- Outlet Position as Required
- Length as Required
- Rear or Top Inlet Available
- Suitable for Use with Self Flushing Systems
- Custom Made Products Incur a Lead Time



Standard Wall Hung Urinal - Off The Shelf

**10
YEAR
WARRANTY**

M-SWHUR-600C

M-SWHUR-900C

M-SWHUR-1200C

M-SWHUR-1500C


ALL URINALS INCLUDE

- M-FP600-C - 600mm Offset Flushpipe
- URNG - Domed Urinal Grate

FEATURES

- Constructed from 1.2mm 304 Grade Stainless Steel
- Centre Outlet
- Centre 25mm Male BSP Top Inlet


Front



Bottom fixing tab Ø6 hole



Side



Flush pipe and domed grate

Suggested mounting height from floor level to front rim:

Adults - 610mm

Children - 510mm

Plumbing & Sanitary




Standard Wall Hung Urinal - Off The Shelf




M-SWHUR-1800C

- M-FP600-C - 600mm Offset Flushpipe
- URNG - Domed Urinal Grate
- Constructed from 1.2mm 304 Grade Stainless Steel
- Left Hand Outlet - 50mm
- Centre 25mm Male BSP Top Inlet

Top




Front



Bottom

Side



Flush pipe and domed grate

Suggested mounting height from floor level to front rim:

Adults - 610mm

Children - 510mm


Standard Wall Hung Urinal - Off The Shelf




M-SWHUR-2400C

- x2 M-FP600-C - 600mm Offset Flushpipe
- URNG - Domed Urinal Grate
- Constructed from 1.2mm 304 Grade Stainless Steel
- Left Hand Outlet - 50mm
- Centre 25mm Male BSP Top Inlet
- Two Top Inlets 600mm in from ends

Top




Front



Bottom



Side



Flush pipes and domed grate

Suggested mounting height from floor level to front rim:

Adults - 610mm

Children - 510mm

Plumbing & Sanitary



Standard Wall Hung Urinal - Off The Shelf Including complete Kit



M-SWHUR-600C-PCKIT

M-SWHUR-900C-PCKIT

M-SWHUR-1200C-PCKIT

M-SWHUR-1500C-PCKIT


ALL KITS INCLUDE

- M-SWHUR- Wall Hung Urinal
- AB-CIS-PC - Pull Chain Cistern
- URNNW-2 - Sparge Adaptor
- M-FP600-C - 600mm Offset Flushpipe
- URNG - Domed Urinal Grate

FEATURES

- Constructed from 1.2mm 304 Grade Stainless Steel
- Centre Outlet
- Centre 25mm Male BSP Top Inlet


Front



Bottom fixing tab $\varnothing 6$ hole



Side



Suggested mounting height from floor level to front rim:

Adults - 610mm

Children - 510mm

Cistern and inclusions


Standard Wall Hung Urinal - Off The Shelf Including complete Kit




M-SWHUR-1800C-PCKIT

- M-FP600-C - 600mm Offset Flushpipe
- URNG - Domed Urinal Grate
- Constructed from 1.2mm 304 Grade Stainless Steel
- Left Hand Outlet - 50mm
- Centre 25mm Male BSP Top Inlet


Top



Front



Side



Bottom



Suggested mounting height from floor level to front rim:

Adults - 610mm

Children - 510mm



Children - 510mm

Plumbing & Sanitary




Standard Wall Hung Urinal - Custom Made




M-SWHUR

- Constructed from 1.2mm 304 Grade Stainless Steel
- Outlet Position as Required
- Length as Required
- Rear or Top Inlet Available for Custom Made
- Custom Made Products Incur a Lead Time

Top



Side



Optional Top Inlet Accessories Kit
M-WHURACCKIT
Includes pull chain cistern, sparge adaptor, flush pipe, and domed grate



Suggested mounting height from floor level to front rim:

Adults - 610mm

Children - 510mm

Plumbing & Sanitary



Urinette

AB-URN

- Pre-Drilled Fixing Holes
- Constructed from 1.2mm 304 Grade Stainless Steel
- 50mm Outlet
- Complete with Top Entry Spreader and Domed Grate
- Cross Breaks to Outlet
- In Stock and Available for Immediate Delivery



Includes
URNG




Suggested mounting height from floor level to front rim:


Adults - 610mm

Children - 510mm


Top



Front



Side



Optional Top Inlet
Accessories Kit

M-URACCKIT

Includes pull chain cistern,
sparge adaptor, flush pipe



Urinette and Accessories Kit

AB-URN-KIT


- Pre-Drilled Fixing Holes
- Constructed from 1.2mm 304 Grade Stainless Steel
- 50mm Outlet
- Complete with Top Entry Spreader, Domed Grate and Offset Flushpipe
- Cross Breaks to Outlet
- In Stock and Available for Immediate Delivery




Includes
URNG &
M-FP600-C




Top



Front



Side



Suggested mounting height from floor level to front rim:

Adults - 610mm

Children - 510mm

Pod Urinal




URN-TD-S (REAR INLET)


- Pre-Drilled Fixing Holes with Wall Bracket
- 1/2" MI BSP Rear Inlet
- 2" MI BSP Outlet
- Includes Domed Grate
- Fully Conceals Plumbing Fixtures
- Constructed from 1.2mm 304 Grade Stainless Steel
- In Stock and Available for Immediate Delivery




Top




Bottom




Side



Back



Bracket



Suggested mounting height from floor level to front rim:

Adults - 610mm

Children - 510mm

Pod Urinal


10
YEAR
WARRANTY

URN-TD-TI (TOP INLET)


- Pre-Drilled Fixing Holes with Wall Bracket
- 1" MI BSP Top Inlet
- 2" MI BSP Outlet
- Includes Domed Grate
- Fully Conceals Plumbing Fixtures
- Constructed from 1.2mm 304 Grade Stainless Steel
- In Stock and Available for Immediate Delivery




Top




Bottom



Side



Back




Optional Top Inlet Accessories Kit M-URACCKIT

Includes pull chain cistern, sparge adaptor, flush pipe



Bracket



Suggested mounting height from floor level to front rim:


Adults - 610mm

Children - 510mm

Plumbing & Sanitary


Adaptors

URNNW: This nut and washer is chrome plated. It comes with a reducing washer, which allows it to accommodate 20mm or 25mm sparge pipes




10
YEAR
WARRANTY


URNNW-1: This sparge adaptor is chrome plated and reduces from a 40mm thread to a 20mm or 25mm sparge pipe



URNNW-2: Chrome Plated Sparge Adaptor. 50mm FI BSP to 25mm BSP Reducer



URNNW-3: This nut and washer is chrome plated. It accommodates 40mm sparge pipes



*Exclusions apply



3monkeez.com.au

Plumbing & Sanitary


Grate Covers




URNG: Suits wall hung urinals and urinettes with 50mm BSP connection



Section View on A - A



URNPG: Suits existing slab urinal outlets and replaces damaged or lost grates





*Exclusions apply

Plumbing & Sanitary



Spreaders



URNSB2: This rear entry button spreader has a 20mm female BSP thread



URNS: The chrome plated top entry exposed spreader comes complete with a chrome plated nut and washer, and it is designed to accommodate 20mm or 25mm sparge pipes



*Exclusions apply

Plumbing & Sanitary



Urinal Accessories Kit

M-URACCKIT


M-WHURACCKIT

- Urinal Accessories Kit - Includes URNNW, M-FP600-C, and AB-CIS-PC
- Wall Hung Urinal Accessories Kit - Includes URNG, URNNW, M-FP600-C, and AB-CIS-PC




10
YEAR
WARRANTY

Top



Front



P-PCIS-CHAIN

- Chain and Toggle to Suit Pull Chain Valve. 304 Grade S/S



P-CIS-PC OUTLET (PULL CHAIN OUTLET VALVE)

- 50mm MI BSP




P-CIS-INLET (BOTTOM ENTRY INLET VALVE)

- 1/2" MI BSP



Side



Refer to warranty for exclusions.

3monkeez.com.au

Plumbing & Sanitary



Stainless Steel Pull Chain Cistern




AB-CIS-PC (BOTTOM ENTRY)


- Assembled with High Quality Adjustable Inlet and Outlet Valves
- Constructed from High Quality 1.2mm 304 Grade Stainless Steel
- Reversible Inlet Valve - Suits Left or Right
- 50mm BSP Outlet - Use URNNW-2 to Reduce The Outlet to Suit 20mm or 25mm Sparge Pipes




Top



Front



Side



P-PCIS-CHAIN

- Chain and Toggle to Suit Pull Chain Valve. 304 Grade S/S



P-CIS-PC OUTLET (PULL CHAIN OUTLET VALVE)

- 50mm MI BSP



P-CIS-INLET (BOTTOM ENTRY INLET VALVE)

- 1/2" MI BSP



Refer to warranty for exclusions.

3monkeez.com.au

Plumbing & Sanitary

W
AS1172.1 AS1172.2
23094



Stainless Steel Pull Chain Cistern


AB-CIS-PC-SE-L (LEFT SIDE ENTRY)

AB-CIS-PC-SE-R (RIGHT SIDE ENTRY)


- Assembled with High Quality Adjustable Inlet and Outlet Valves
- Constructed from High Quality 1.2mm 304 Grade Stainless Steel
- Reversible Inlet Valve - Suits Left or Right
- 50mm BSP Outlet - Use URNNW-2 to Reduce The Outlet to Suit 20mm or 25mm Sparge Pipes

10
YEAR
WARRANTY

Top




Front



Side

M5 Security screws

MI BSP



Side Entry Right photo shown



P-PCIS-CHAIN

- Chain and Toggle to Suit Pull Chain Valve. 304 Grade S/S



**P-CIS-PC OUTLET
(PULL CHAIN OUTLET VALVE)**

- 50mm MI BSP



**P-CIS-INLET-SIDE ENT
(SIDE ENTRY INLET VALVE)**

- 1/2" MI BSP

Side Entry Left Drawing Shown

Refer to warranty for exclusions.

3monkeez.com.au

Plumbing & Sanitary



Stainless Steel Dual Flush Cistern




AB-CIS-DF-2 (BOTTOM ENTRY)


- Assembled with Approved High Quality Inlet and Outlet Valves
- Water Saving Half Flush Feature
- Adjustable Inlet and Outlet Valves for Setting The Required Flushing Volume
- Constructed from High Quality 1.2mm 304 Grade Stainless Steel
- Reversible Inlet Valve - Suits Left or Right
- 50mm BSP Outlet




Top



Front



Side



P-CIS-INLET (BOTTOM ENTRY INLET VALVE)

- 1/2" MI BSP



P-CIS-DF OUTLET (DUAL FLUSH OUTLET VALVE)

- 50mm MI BSP

Refer to warranty for exclusions.

3monkeez.com.au

Plumbing & Sanitary

W
AS1172.1 AS1172.2
23094



Stainless Steel Dual Flush Cistern


AB-CIS-DF-2-SE-L (LEFT SIDE ENTRY)

AB-CIS-DF-2-SE-R (RIGHT SIDE ENTRY)


- Assembled with Approved High Quality Inlet and Outlet Valves
- Water Saving Half Flush Feature
- Adjustable Inlet and Outlet Valves for Setting The Required Flushing Volume
- Constructed from High Quality 1.2mm 304 Grade Stainless Steel
- Reversible Inlet Valve - Suits Left or Right
- 50mm BSP Outlet

10
YEAR
WARRANTY


Top



Front



Side



Left Side Entry Photo Shown



**P-CIS-INLET-SIDE ENT
(SIDE ENTRY INLET VALVE)**

- 1/2" MI BSP



**P-CIS-CDF OUTLET
(DUAL FLUSH OUTLET
CABLE VALVE)**

- 50mm MI BSP
- Cable Allows Buttons to Be Placed in Any Position

Refer to warranty for exclusions.

3monkeez.com.au

Plumbing & Sanitary



Stainless Steel Disabled Compliant Dual Flush Cistern




AB-CIS-DCDF (BOTTOM ENTRY)


- AS1428 Compliant
- Water Saving Half Flush Feature
- Adjustable Inlet and Outlet Valves for Setting The Required Flushing Volume
- Constructed from High Quality 1.2mm 304 Grade Stainless Steel
- Reversible Inlet Valve - Suits Left or Right
- 50mm BSP Outlet




Top



Front



Side



P-CIS-INLET (BOTTOM ENTRY INLET VALVE)

- 1/2" MI BSP



P-CIS-DF OUTLET (DUAL FLUSH OUTLET VALVE)

- 50mm MI BSP

Refer to warranty for exclusions.

3monkeez.com.au

Plumbing & Sanitary



Stainless Steel Disabled Compliant Dual Flush Cistern



AB-CIS-DCDF-SE-L (LEFT SIDE ENTRY)


AB-CIS-DCDF-SE-R (RIGHT SIDE ENTRY)

- AS1428 Compliant
- Water Saving Half Flush Feature
- Adjustable Inlet and Outlet Valves for Setting The Required Flushing Volume
- Constructed from High Quality 1.2mm 304 Grade Stainless Steel
- Reversible Inlet Valve - Suits Left or Right
- 50mm BSP Outlet




Left Side Entry Photo Shown


Top



Front



Side



**P-CIS-INLET-SIDE ENT
(SIDE ENTRY INLET VALVE)**

- 1/2" MI BSP



**P-CIS-DF OUTLET
(DUAL FLUSH OUTLET VALVE)**

- 50mm MI BSP

Refer to warranty for exclusions.

3monkeez.com.au

Plumbing & Sanitary



Stainless Steel Front Press Cistern




AB-CIS-FP (BOTTOM ENTRY)


- Water Saving Half Flush Feature
- Adjustable Inlet and Outlet Valves for Setting The Required Flushing Volume
- Buttons Located on Front of Cistern
- Constructed from High Quality 1.2mm 304 Grade Stainless Steel
- Reversible Inlet Valve - Suits Left or Right
- 50mm BSP Outlet




Top



Front



Side



P-CIS-INLET (BOTTOM ENTRY INLET VALVE)

- 1/2" MI BSP



P-CIS-CDF OUTLET (DUAL FLUSH OUTLET CABLE VALVE)

- 50mm MI BSP
- Cable Allows Buttons to Be Placed in Any Position

Refer to warranty for exclusions.

3monkeez.com.au

Plumbing & Sanitary



Stainless Steel Front Press Cistern

AB-CIS-FP-SE-L (LEFT SIDE ENTRY)

AB-CIS-FP-SE-R (RIGHT SIDE ENTRY)

- Water Saving Half Flush Feature
- Adjustable Inlet and Outlet Valves for Setting The Required Flushing Volume
- Buttons Located on Front of Cistern
- Constructed from High Quality 1.2mm 304 Grade Stainless Steel
- Reversible Inlet Valve - Suits Left or Right
- 50mm BSP Outlet



Side Entry Left photo shown




**P-CIS-INLET-SIDE ENT
(SIDE ENTRY INLET VALVE)**

- 1/2" MI BSP



**P-CIS-CDF OUTLET
(DUAL FLUSH OUTLET
CABLE VALVE)**

- 50mm MI BSP
- Cable Allows Buttons to Be Placed in Any Position



Refer to warranty for exclusions.

3monkeez.com.au

Plumbing & Sanitary



Stainless Steel Side Press Cistern




AB-CIS-SP (BOTTOM ENTRY)


- Water Saving Half Flush Feature
- Adjustable Inlet and Outlet Valves for Setting The Required Flushing Volume
- Buttons Located on Side of Cistern (Can Be Either Left or Right)
- Constructed from High Quality 1.2mm 304 Grade Stainless Steel
- Reversible Inlet Valve - Suits Left or Right
- 50mm BSP Outlet




Top



Front



Side



P-CIS-INLET (BOTTOM ENTRY INLET VALVE)

- 1/2" MI BSP



P-CIS-CDF OUTLET (DUAL FLUSH OUTLET CABLE VALVE)

- 50mm MI BSP
- Cable Allows Buttons to Be Placed in Any Position

Refer to warranty for exclusions.

3monkee.com.au

Plumbing & Sanitary



Stainless Steel Side Press Cistern

AB-CIS-SP-SE-L (LEFT SIDE ENTRY)


AB-CIS-SP-SE-R (RIGHT SIDE ENTRY)

- Water Saving Half Flush Feature
- Adjustable Inlet and Outlet Valves for Setting The Required Flushing Volume
- Buttons Located on Side of Cistern (Can Be Either Left or Right)
- Constructed from High Quality 1.2mm 304 Grade Stainless Steel
- Reversible Inlet Valve - Suits Left or Right
- 50mm BSP Outlet




Left Side Entry Photo Shown


Top



Front



Side



**P-CIS-INLET-SIDE ENT
(SIDE ENTRY INLET VALVE)**

- 1/2" MI BSP



**P-CIS-CDF OUTLET
(DUAL FLUSH OUTLET CABLE VALVE)**

- 50mm MI BSP
- Cable Allows Buttons to Be Placed in Any Position



Refer to warranty for exclusions.

3monkeez.com.au



Stainless Steel Cistern Case

CIS-60 (WITH HOLES)


CIS-60-1 (WITHOUT HOLES)

The 3monkeez® cistern case is available with or without holes. Holes can also be custom punched to the customer's requirement.


- Constructed from High Quality 1.2mm 304 Grade Stainless Steel
- Holes Can Be Custom Cut in CIS-60-1 to Customer's Requirements
- In Stock and Available for Immediate Delivery




Top (CIS-60-1)




Top (CIS-60)



Back



Side



Refer to warranty for exclusions.

3monkeez.com.au

Plumbing & Sanitary




Wall Mount Push Button Kit with Mounting Plate




P-PRA-KIT

- Activates Inwall Front Press Cistern
- 300 x 300 Mounting Plate
- Variable Length (Cut to Suit)
- 304 Grade Stainless Steel Button and Flange


Side



Section View



Mounting Plate



Face Plate
1.5mm 304 Grade Stainless Steel



Refer to warranty for exclusions.

3monkeez.com.au


In Wall Cistern

CIS-IWFA


- Suits 3monkeez® Pedestal and Wall Faced Toilet Pans
- One Piece Tank Manufactured from HDPE
- 80mm Depth
- Operating Pressure 10-1000kPa
- 4 Star WELS



Front



Side






In Wall Cistern


CIS-IWFA-BD

- AS1428 Compliant
- Mechanical Dual Flush Plate
- Metal Construction
- Stainless Steel and Chrome Finish

Front




Side




CIS-IWFA-B1

- Mechanical Dual Flush Plate
- Round Buttons
- Metal Construction
- Stainless Steel and Chrome Finish

Front



Side



Plumbing & Sanitary



Flushpipes

M-FP600-C
(OFFSET URINAL/URINETTE FLUSHPIPE)

M-FP1000-C
(OFFSET URINAL/URINETTE FLUSHPIPE)


M-FP600-S
(STRAIGHT FLUSHPIPE)

M-FP600-40
(OFFSET FLUSHPIPE)


M-FP-WC
(90 DEGREE TAPERED FLUSHPIPE)

Custom options available on request


M-FP600-C




M-FP1000-C




M-FP600-40



M-FP600-S



M-FP-WC



Plumbing & Sanitary

Cistern Spare Parts



P-CIS-INLET (INLET VALVE)

- 1/2" MI BSP

P-CIS-INLET



P-CIS-INLET-SIDE ENT



P-CIS-INLET-SIDE ENT (SIDE ENTRY INLET VALVE)

- 1/2" MI BSP

P-CIS-PC OUTLET (PULL CHAIN OUTLET VALVE)

- 50mm MI BSP

P-CIS-PC OUTLET



P-CIS-DF OUTLET



P-CIS-DF OUTLET (DUAL FLUSH OUTLET VALVE)

- 50mm MI BSP

P-CIS-CDF OUTLET (DUAL FLUSH OUTLET CABLE VALVE)

- 50mm MI BSP
- Cable Allows Buttons to Be Placed in Any Position

P-CIS-CDF OUTLET



P-CIS-DCDF BUTTONS



P-CIS-DCDF BUTTONS (DISABLED COMPLIANT BUTTONS)

- AS1428 Compliant

Exclusions apply.



Plumbing & Sanitary




Pedestal Toilet Pan - P Trap

WC-SSPP


- Easy to Retrofit
- Simple Installation
- Radius Edges
- Satin Finish
- 2mm 304 Grade Stainless Steel
- In Stock and Available for Immediate Delivery




Top




Rear




Bottom



Floor Clip



Cross Section



Refer to warranty for exclusions.

3monkeez.com.au

Plumbing & Sanitary




Pedestal Toilet Pan - S Trap

WC-SSPS


- Easy to Retrofit
- Simple Installation
- Radius Edges
- Satin Finish
- 2mm 304 Grade Stainless Steel
- In Stock and Available for Immediate Delivery




Top




Rear




Bottom



Floor Clip



Cross Section



If used with 3monkeez® cistern and stainless steel flushpipe, set out range is 240mm – 470mm from wall to centre of outlet.

Refer to warranty for exclusions.

3monkeez.com.au

Pedestal Toilet Pan - P Trap with Seat




WC-SSPP-D

- Easy to Retrofit
- Simple Installation
- Radius Edges
- Satin Finish
- 2mm 304 Grade Stainless Steel
- In Stock and Available for Immediate Delivery


SEAT

- Solid Strong Moulding
- 50mm Height
- Locking Stability Buffers


Top




Rear




Bottom




Cross Section



Floor Clip



Seat



Pedestal Toilet Pan - S Trap with Seat



WC-SSPS-D


- Easy to Retrofit
- Simple Installation
- Radius Edges
- Satin Finish
- 2mm 304 Grade Stainless Steel
- In Stock and Available for Immediate Delivery

SEAT


- Solid Strong Moulding
- 50mm Height
- Locking Stability Buffer




Top




Bottom




Rear




Cross Section



Floor Clip



Seat



If used with 3monkee® cistern and stainless steel flushpipe, set out range is 290mm from wall to centre of outlet.

Refer to warranty for exclusions.

3monkee.com.au

Plumbing & Sanitary




Wall Faced Toilet Pan

WC-SSWFP (P TRAP)


WC-SSWFS (S TRAP)

- No Ligature Points
- Suitable for Use with An in Wall Cistern
- Available in P Trap or S Trap
- Radius Edges
- Satin Finish
- Concealed Fixings
- 2mm 304 Grade Stainless Steel
- In Stock and Available for Immediate Delivery
- See Compatibility Chart on Seats Data Sheets


Top




Side




Cross Section



Rear



Bottom



Please Note: S trap pan is supplied with a separate pan bend. Set out dimension 130mm + or - 5mm.

Refer to warranty for exclusions.

3monkeez.com.au

Plumbing & Sanitary



AS1172.1 AS1172.2
23094



Disabled Compliant Wall Faced Toilet Pan




WC-SSDP (P TRAP)


WC-SSDS (S TRAP)

- Suitable for Disabled Applications
- No Ligature Points
- Available in P Trap or S Trap
- Radius Edges
- Satin Finish
- Concealed Fixings
- 2mm 304 Grade Stainless Steel
- In Stock and Available for Immediate Delivery
- See Compatibility Chart on Seats Data Sheets


Top




Rear



Side



Bottom



Please Note: S trap pan is supplied with a separate pan bend. Set out dimension 125mm + or - 5mm.

Refer to warranty for exclusions.

3monkeez.com.au


Wall Faced Close Coupled Toilet Pan




WC-SSWFCCP (P TRAP)

WC-SSWFCCS (S TRAP)


- No Ligature Points and Concealed Fixings
- Available in P Trap or S Trap
- Radius Edges
- Inbuilt Dual Flush Cistern
- Adjustable Inlet and Outlet Valves for Setting The Required Flush Volume
- 2mm 304 Grade Satin Finish Stainless Steel
- In Stock and Available for Immediate Delivery
- See Compatibility Chart on Seats Data Sheets




Back




Front



Side



Bottom








Please Note: S trap pan is supplied with a separate pan bend. Set out dimension 130mm + or - 5mm. Mini stop to be 150mm-350mm FFL and 100mm out from centre of pan.

AS1428 Compliant



WC-SSACCS (S TRAP)

- Suitable for Ambulant Applications
- No Ligature Points and Concealed Fixings
- Available in P Trap or S Trap
- Radius Edges
- Inbuilt Dual Flush Cistern
- Adjustable Inlet and Outlet Valves for Setting The Required Flush Volume
- 2mm 304 Grade Satin Finish Stainless Steel
- In Stock and Available for Immediate Delivery
- See Compatibility Chart on Seats Data Sheets



Refer to warranty for exclusions.


Disabled Compliant Wall Faced Close Coupled Toilet Pan



WC-SSDCCP (P TRAP)



WC-SSDCCS (S TRAP)

- Suitable for Disabled Applications
- No Ligature Points and Concealed Fixings
- Available in P Trap or S Trap
- Radius Edges
- Inbuilt Dual Flush Cistern
- Adjustable Inlet and Outlet Valves for Setting The Required Flush Volume
- 2mm 304 Grade Satin Finish Stainless Steel
- In Stock and Available for Immediate Delivery
- See Compatibility Chart on Seats Data Sheets





Back

Front



Side

Bottom



Please Note: S trap pan is supplied with a separate pan bend. Set out dimension 125mm + or - 5mm. Mini stop to be 150mm-350mm FFL and 100mm out from centre of pan.


Disabled Compliant Long Drop Toilet Pan

M-WC-SSLD (LONGDROP)


- Suitable for Pit Toilet Systems
- Extended Chute
- No Ligature Points
- Radius Edges
- Satin Finish
- 2mm 304 Grade Stainless Steel
- AS1428 Dimensional Compliant

10
YEAR
WARRANTY


Top



Side



Rear




Ambulant Long Drop Toilet Pan

M-WC-SSALD (LONGDROP)


- Suitable for Pit Toilet Systems
- Extended Chute
- No Ligature Points
- Radius Edges
- Satin Finish
- 2mm 304 Grade Stainless Steel
- AS1428 Dimensional Compliant

10 YEAR WARRANTY


Top



Side



Rear



Plumbing & Sanitary



Combination Unit 90

M-WC-SSCU90L-P (P TRAP)

M-WC-SSCU90L-S (S TRAP)


M-WC-SSCU90R-P (P TRAP)

M-WC-SSCU90R-S (S TRAP)



- No Ligature Points
- Available in P Trap or S Trap
- Integrated Hand Basin and Toilet Roll Holder
- Radius Edges
- Satin Finish
- Concealed Fixings
- 2mm 304 Grade Stainless Steel




Top




Back



P Trap



S Trap



Please Note: S trap pan is supplied with a separate pan bend. Left hand dimensions shown.

Plumbing & Sanitary



Combination Unit 45

M-WC-SSCU45L-P (P TRAP)


M-WC-SSCU45L-S (S TRAP)

M-WC-SSCU45R-P (P TRAP)

M-WC-SSCU45R-S (S TRAP)

- No Ligature Points
- Available in P Trap or S Trap
- Integrated Hand Basin and Toilet Roll Holder
- Radius Edges
- Satin Finish
- Concealed Fixings
- 2mm 304 Grade Stainless Steel

10
YEAR
WARRANTY



Please Note: S trap pan is supplied with a separate pan bend. Left hand dimensions shown.

Plumbing & Sanitary




Stainless Steel Pedestal Slop Hopper - P Trap - Made to Order




M-SH-PP

- Compatible with 3monkeeZ® Dual Flush Cistern - AB-CIS-DF-2 or 3monkeeZ® Pull Chain Cistern - AB-CIS-PC
- Easy to Retrofit
- Simple Installation
- Radius Edges
- Satin Finish
- 2mm 304 Grade Stainless Steel
- In Stock and Available for Immediate Delivery


Top




Rear




Bottom




Floor Clip




Cross Section



Slophopper



- Also Available with a 150mm High Shroud and Top Inlet If Required



Refer to warranty for exclusions.

3monkeeZ.com.au

Plumbing & Sanitary



Stainless Steel Pedestal Slop Hopper - S Trap - Made to Order




M-SH-PS


- Compatible with 3monkee® Dual Flush Cistern - AB-CIS-DF-2 or 3monkee® Pull Chain Cistern - AB-CIS-PC
- Easy to Retrofit
- Simple Installation
- Radius Edges
- Satin Finish
- 2mm 304 Grade Stainless Steel
- In Stock and Available for Immediate Delivery




Top




Rear




Floor Clip




Bottom




Slophopper



Cross Section



- Also Available with a 150mm High Shroud and Top Inlet If Required



If used with 3monkee® cistern and stainless steel flushpipe, set out range is 240mm – 470mm from wall to centre of outlet.

Refer to warranty for exclusions.

3monkee.com.au


Stainless Steel Wall Faced Slop Hopper - Made to Order

10 YEAR
WARRANTY







M-SH-WFP (P TRAP)

M-SH-WFS (S TRAP)

- No Ligature Points
- Suitable for Use with An in Wall Cistern
- Available in P Trap or S Trap
- Radius Edges
- Satin Finish
- Concealed Fixings
- 2mm 304 Grade Stainless Steel
- In Stock and Available for Immediate Delivery



- Also Available with a 150mm High Shroud



Please Note: S trap pan is supplied with a separate pan bend. Set out dimension 130mm + or - 5mm.

Refer to warranty for exclusions.

3monkeez.com.au


Toilet Seats

WC-CSFSEAT (WHITE)

WC-CSFSEAT-B (BLACK)

WC-CSFSEAT-BL (BLUE)

- Heavy Duty Plastic Toilet Seat
- Recommended for Commercial Applications
- Non-Corrosive Stainless Steel Posts and Pintles
- Closed Front
- Single Flap
- Front Positioning Buffers




WC-CSFSEAT (White)



WC-CSFSEAT-B (Black)



WC-CSFSEAT-BL (Blue)



Compatibility Chart

WC-CSFSEAT, WC-CSFSEAT-B, WC-CSFSEAT-BL		WC-DFSEAT	WC-ASFSEAT
WC-SSAP	WC-SSAS	WC-SSPP	WC-SSPP (for WC-SSPP-D)
WC-SSDP	WC-SSDS	WC-SSPS	WC-SSPS (for WC-SSPS-D)
WC-SSPP	WC-SSPS	WC-SSWFP	
WC-SSWFP	WC-SSWFS	WC-SSWFS	
WC-SSACCP	WC-SSACCS	WC-SSWFCCP	
WC-SSDCCP	WC-SSDCCS	WC-SSWFCCS	
WC-SSWFCCP	WC-SSWFCCP		
WC-SSWFCCS	WC-SSWFCCS		

Refer to warranty for exclusions.


Toilet Seats

WC-ASFSEAT

- Solid Strong Moulding
- 50mm Height
- Locking Stability Buffers
- Suits Most Pans


Suitable for use with 3monkeez® pedestal pans to obtain height required for disabled use

WC-ASFSEAT



WC-DFSEAT

- This Double Flap Toilet Seat is White and Features a Closed Front
- Plastic Toilet Seat. Features Four Moulded-in Bumpers
- Soft Close Quick Release Toilet Seat
- Commercial Heavy Duty Applications



Compatibility Chart

WC-CSFSEAT, WC-CSFSEAT-B, WC-CSFSEAT-BL		WC-DFSEAT	WC-ASFSEAT
WC-SSAP	WC-SSAS	WC-SSPP	WC-SSPP (for WC-SSPP-D)
WC-SSDP	WC-SSDS	WC-SSPS	WC-SSPS (for WC-SSPS-D)
WC-SSPP	WC-SSPS	WC-SSWFP	
WC-SSWFP	WC-SSWFS	WC-SSWFS	
WC-SSACCP	WC-SSACCS	WC-SSWFCCP	
WC-SSDCCP	WC-SSDCCS	WC-SSWFCCS	
WC-SSWFCCP	WC-SSWFCCP		
WC-SSWFCCS	WC-SSWFCCS		

Refer to warranty for exclusions.



NSW 02 9627 6111
VIC 03 9357 6562
QLD 07 3881 0322

WA 08 6305 0681
SA 0417 731 718
ACT 0408 446 961

TAS 03 6344 7060
NT 0447 382 658
FNQ 07 4775 6956

3monkeez

www.3monkeez.com.au
sales@3monkeez.com.au