



Zero Touch Tapware

3monkeez®
innovate. create. deliver.



2026

3monkeez®

www.3monkeez.com.au
sales@3monkeez.com.au

3monkeez[®]

MISSION STATEMENT

Put people first. Build a great product.
Reinvent industry expectations.

At 3monkeez, we understand that building a great quality and reliable product is only part of the story.

We provide an experience for our customers that exceeds expectations and makes us a trusted supplier of commercial plumbing and catering products across Australia. By putting people first our highly trained team can not only provide the right product and support, they also work closely with our customers to build long-lasting and rewarding relationships.

Through our commitment to manufacturing exceptional products and offering an unmatched experience for our customers we always strive to exceed and reinvent customer expectations when it comes to dealing with 3monkeez.

GUARDIAN[®]
TAPWARE

SCRAPTRAP
THE ONLY MONKEY FOR THE BLOODHOUND IN THE HOUSE

HEEL GUARDIAN[™]

IN2GR8
LINEAR DRAIN SYSTEM

GUARDIANCARE[®]

CLEANJET[®]
STAINLESS STEEL

GUARDIAN[®]
ZERO TOUCH



People are at the centre of everything we do. We provide industry leading customer service with a highly trained team of professionals available across Australia.



As a supplier of commercial stainless steel products for over 30 years the quality of our products matter to us. Our products will always provide creative and reliable solutions.



We are committed to providing innovative solutions that exceed customer expectations through our customer service, products, resources and unbeatable delivery times.

Zero Touch Tapware



GUARDIAN[®] TAPWARE

Zero Touch Range

3monkeez® new Sensor Range adds a hygienic finishing touch to every project. Leave behind germs, bacteria and viruses with tapware that use hands-free technology and infrared sensors to provide a reliable, contact-free solution. With sensor-operated Compact Bubbblers, Bottle Fillers, and Bib and Pillar Taps, and flexible wall or bench mounted installation options, there is bound to be a hygienic hands-free option to suit your next project.

Constructed from 100% stainless steel these products also carry the Guardian Tapware® by 3monkeez® guarantee, offering not only attractive designs, but the strength, reliability and impressive water quality protection that can only be assured by stainless steel construction.



The Stainless Steel Advantage

Contents

Guardian Bib and Pillar Tap Range

Bench Mount Infrared Sensor Tap	5
Gooseneck Bench Mounted Sensor Tap	6
Wall Mounted Infrared Sensor Tap	7
Pillar Tap with Bench Mount Sensor	8
Pillar Tap with Wall Mount Sensor	9
Bib Tap with Bench Mount Sensor	10
Bib Tap with Wall Mount Sensor	11

Bubblers and Bottle Fillers

45 Degree Metal Mouthguard Bubbler with Bench Mount Sensor	12
45 Degree Metal Mouthguard Bubbler with Wall Mount Sensor	13
45 Degree Silicone Mouthguard Bubbler with Bench Mount Sensor	14
45 Degree Silicone Mouthguard Bubbler with Wall Mount Sensor	15
Wall Mount Silicone Mouthguard Bubbler with Bench Mount Sensor	16
Wall Mount Silicone Mouthguard Bubbler with Wall Mount Sensor	17
Timed Sensor Compact Bubbler	18
Wall Mount Bottle Filler with Bench Mount Sensor	19
Wall Mount Bottle Filler with Wall Mount Sensor	20
Bench Mount Sensor Bottle Filler	21
Timed 6 Second Sensor Conversion Kit with Bench Mount Sensor	22
Timed 6 Second Sensor Conversion Kit with Wall Mount Sensor	23
Sensor Tapware Spare Parts	24

Zero Touch Tapware



GUARDIAN[®] TAPWARE



Bench Mount Infrared Sensor Tap

T-3MSS-HMSTB

T-3MSS-HMSTB-TV

T-3MSS-HMSTM

T-3MSS-HMSTM-TV


Available in mains or battery powered, with optional tempering valve

- Battery Powered – 2x CR123 3V Lithium Batteries Estimates 80,000 Cycles
- Mains Powered – 6V Transformer
- Full S/S Construction
- Sensor Range Nominal: 50mm – 200mm
- Maximum Run Time: 60 Seconds
- WELS 6 Star 4LPM
- Working Pressure Range 150kPa-500kPa
- Maximum Operating Temperature 50 Degrees




Battery holder
T-3MSSP-HMST-BP
(in control box)

2x CR123 3V
Lithium Batteries



240v power adaptor
T-3MSSP-HMST-M
(Std 800 mm power cord)

T-3MSSP-HMST-3M
(with 3m power cord)




1/2" MI BSP inlet


Solenoid control box
T-3MSSP-HMST-CBS

Outlet to tap
1/2" MI BSP


Top



Front



Side




T-3MSSP-HMST-M



T-3MSSP-HMST-CBS



T-3MSSP-HMST-BP



Flexible inlet hose
to solenoid unit
nom length 350mm
1/2" FI BSP

Power and
control leads



T-3MSSP-HMST-3M

* Power Supply with 3 metre lead available separately

*Exclusions apply

3monkeez.com.au

Zero Touch Tapware



GUARDIAN[®] TAPWARE

Gooseneck Bench Mounted Sensor Tap

T-3MSS-GHMST21B



T-3MSS-GHMST21M

T-3MSS-GHMST21B-TV

T-3MSS-GHMST21M-TV

Available in mains or battery powered, with optional tempering valve

- Battery Powered – 2x CR123 3V Lithium Batteries Estimates 80,000 Cycles
- Mains Powered – 6V Transformer
- Full S/S Construction
- Sensor Range Nominal: 50mm – 200mm
- Maximum Run Time: 60 Seconds
- WELS 6 Star 3.5LPM
- Working Pressure Range 150kPa-500kPa
- Maximum Operating Temperature 50 Degrees



T-3MSSP-HMST-3M

* Power Supply with 3 metre lead available separately

*Exclusions apply

3monkeez.com.au

Zero Touch Tapware



GUARDIAN[®] TAPWARE



Wall Mounted Infrared Sensor Tap

T-3MSS-WMSTB


- Battery Operated Estimates 80,000 Cycles
- Infrared Sensor
- ½" FI BSP
- Full S/S Construction
- WELS 6 Star 3.5LPM
- Working Pressure Range 150kPa-500kPa
- Maximum Operating Temperature 50 Degrees
- All in One, No External Parts




Front



Side



Bottom



T-3MSSP-WMST-BP

*Exclusions apply

3monkeez.com.au

Zero Touch Tapware



GUARDIAN[®] TAPWARE

Pillar Tap with Bench Mount Sensor


T-3MSS-PTSB (battery operated)

T-3MSS-PTSM (mains operated)


- Infrared 6 Sec Timed Sensor
- Full S/S Construction
- Equipped with 3monkeez Sensor Technology for Hands-Free Operation
- Sensor is Bench Mounted
- Available as Battery Powered or Mains Operated
- 1/2" MI BSP Inlet
- WELS 6 Star 3LPM
- Working Pressure Range 150kPa-500kPa
- Maximum Operating Temperature 60 Degrees
- Battery Powered – 2x CR123 3V Lithium Batteries Estimates 80,000 Cycles





Side



Top



Front



*Exclusions apply

3monkeez.com.au

Zero Touch Tapware



GUARDIAN[®] TAPWARE



Pillar Tap with Wall Mount Sensor


T-3MSS-PTSWB (battery operated)

T-3MSS-PTSWM (mains operated)


- Infrared 6 Sec Timed Sensor
- Full S/S Construction
- Equipped with 3monkeez Sensor Technology for Hands-Free Operation
- Sensor is Wall Mounted
- Available as Battery Powered or Mains Operated
- ½" MI BSP Inlet
- WELS 6 Star 3LPM
- Working Pressure Range 150kPa-500kPa
- Maximum Operating Temperature 60 Degrees
- Battery Powered – 2x CR123 3V Lithium Batteries Estimates 80,000 Cycles





Side



Top



Front



Mounting Body



*Exclusions apply

3monkeez.com.au

Zero Touch Tapware



GUARDIAN[®] TAPWARE





Bib Tap with Bench Mount Sensor

T-3MSS-BTSB (*battery operated*)


T-3MSS-BTSM (*mains operated*)

- Infrared 6 Sec Timed Sensor
- Full S/S Construction
- Equipped with 3monkeez Sensor Technology for Hands-Free Operation
- Sensor is Bench Mounted
- Available as Battery Powered or Mains Operated
- 1/2" MI BSP
- 1/2" FI BSP Extension Piece Included
- WELS 6 Star 3LPM
- Working Pressure Range 150kPa-500kPa
- Maximum Operating Temperature 60 Degrees
- Battery Powered – 2x CR123 3V Lithium Batteries Estimates 80,000 Cycles

Side



Front



*Exclusions apply

3monkeez.com.au

Zero Touch Tapware



GUARDIAN[®] TAPWARE





Bib Tap with Wall Mount Sensor

T-3MSS-BTSWB (battery operated)


T-3MSS-BTSMW (mains operated)

- Infrared 6 Sec Timed Sensor
- Full S/S Construction
- Equipped with 3monkeez Sensor Technology for Hands-Free Operation
- Sensor is Wall Mounted
- Available as Battery Powered or Mains Operated
- 1/2" MI BSP
- 1/2" FI BSP Extension Piece Included
- WELS 6 Star 3LPM
- Working Pressure Range 150kPa-500kPa
- Maximum Operating Temperature 60 Degrees
- Battery Powered – 2x CR123 3V Lithium Batteries Estimates 80,000 Cycles

Side



Front



*Exclusions apply

3monkeez.com.au

Zero Touch Tapware



GUARDIAN[®] TAPWARE


45 Degree Metal Mouthguard Bubbler with Bench Mount Sensor



T-3MSS-BUB45SB (battery operated)

T-3MSS-BUB45SM (mains operated)

- Infrared 6 Sec Timed Sensor
- Full S/S Construction
- Equipped with 3monkeez Sensor Technology for Hands-Free Operation
- Sensor is Bench Mounted
- Available as Battery Powered or Mains Operated
- ½" FI BSP Inlet
- Ideally Suited for Use with 3monkeez PT-7 Troughs
- WELS 6 Star 2LPM
- Working Pressure Range 150kPa-500kPa
- Maximum Operating Temperature 40 Degrees
- Battery Powered – 2x CR123 3V Lithium Batteries Estimates 80,000 Cycles



*Exclusions apply

3monkeez.com.au

Zero Touch Tapware



GUARDIAN[®] TAPWARE



45 Degree Metal Mouthguard Bubbler with Wall Mount Sensor



T-3MSS-BUB45SWB (*battery operated*)

T-3MSS-BUB45SWM (*mains operated*)

- Infrared 6 Sec Timed Sensor
- Full S/S Construction
- Equipped with 3monkeez Sensor Technology for Hands-Free Operation
- Sensor is Wall Mounted
- Available as Battery Powered or Mains Operated
- ½" FI BSP Inlet
- WELS 6 Star 2LPM
- Working Pressure Range 150kPa-500kPa
- Maximum Operating Temperature 40 Degrees
- Battery Powered – 2x CR123 3V Lithium Batteries Estimates 80,000 Cycles



*Exclusions apply

3monkeez.com.au

Zero Touch Tapware



GUARDIAN[®] TAPWARE

45 Degree Silicone Mouthguard Bubbler with Bench Mount Sensor




T-3MSS-BUBS45SB (battery operated)


T-3MSS-BUBS45SM (mains operated)

- Infrared 6 Sec Timed Sensor
- Full S/S Construction
- Equipped with 3monkeez Sensor Technology for Hands-Free Operation
- Sensor is Bench Mounted
- Available as Battery Powered or Mains Operated
- ½" FI BSP Inlet
- Ideally Suited for Use with 3monkeez PT-7 Troughs
- Unique Rubber Mouthguard that Protects Teeth
- WELS 6 Star 2LPM
- Working Pressure Range 150kPa-500kPa
- Maximum Operating Temperature 40 Degrees
- Battery Powered – 2x CR123 3V Lithium Batteries Estimates 80,000 Cycles



Top



Front



Side



*Exclusions apply

3monkeez.com.au

45 Degree Silicone Mouthguard Bubbler with Wall Mount Sensor


T-3MSS-BUBS45SWB (battery operated)

T-3MSS-BUBS45SWM (mains operated)


- Infrared 6 Sec Timed Sensor
- Full S/S Construction
- Equipped with 3monkeez Sensor Technology for Hands-Free Operation
- Sensor is Wall Mounted
- Available as Battery Powered or Mains Operated
- ½" FI BSP Inlet
- Ideally Suited for Use with 3monkeez PT-7 Troughs
- Unique Rubber Mouthguard that Protects Teeth
- WELS 6 Star 2LPM
- Working Pressure Range 150kPa-500kPa
- Maximum Operating Temperature 40 Degrees
- Battery Powered – 2x CR123 3V Lithium Batteries Estimates 80,000 Cycles





Top



Front



Side



*Exclusions apply

3monkeez.com.au

Zero Touch Tapware



GUARDIAN[®] TAPWARE

Wall Mount Silicone Mouthguard Bubbler with Bench Mount Sensor




T-3MSS-BUB90SB (battery operated)


T-3MSS-BUB90SM (mains operated)

- Infrared 6 Sec Timed Sensor
- Full S/S Construction
- Equipped with 3monkeez Sensor Technology for Hands-Free Operation
- Sensor is Bench Mounted
- Available as Battery Powered or Mains Operated
- ½" FI BSP Inlet
- Unique Rubber Mouthguard that Protects Teeth
- WELS 6 Star 2LPM
- Working Pressure Range 150kPa-500kPa
- Maximum Operating Temperature 40 Degrees
- Battery Powered – 2x CR123 3V Lithium Batteries Estimates 80,000 Cycles




Top



Front



Side



*Exclusions apply

3monkeez.com.au

Zero Touch Tapware



GUARDIAN[®] TAPWARE

Wall Mount Silicone Mouthguard Bubbler with Wall Mount Sensor




T-3MSS-BUB90SWB (battery operated)

T-3MSS-BUB90SWM (mains operated)



- Infrared 6 Sec Timed Sensor
- Full S/S Construction
- Equipped with 3monkeez Sensor Technology for Hands-Free Operation
- Sensor is Wall Mounted
- Available as Battery Powered or Mains Operated
- ½" FI BSP Inlet
- Unique Rubber Mouthguard that Protects Teeth
- WELS 6 Star 2LPM
- Working Pressure Range 150kPa-500kPa
- Maximum Operating Temperature 40 Degrees
- Battery Powered – 2x CR123 3V Lithium Batteries Estimates 80,000 Cycles

Top

Front



Side



Mounting Body



*Exclusions apply

3monkeez.com.au

Zero Touch Tapware



GUARDIAN[®] TAPWARE

Timed Sensor Compact Bubbler


T-3MSS-BUBCSB (battery operated)

T-3MSS-BUBCSM (mains operated)


- Infrared 6 Sec Timed Sensor
- Includes Flexi Hose – ½" FI BSP
- Full S/S Construction
- WELS 6 Star 2.5LPM
- Working Pressure Range 150kPa-500kPa
- Maximum Operating Temperature 40 Degrees
- Battery Powered – 2x CR123 3V Lithium Batteries Estimates 80,000 Cycles




Side



Top



Front



*Exclusions apply

3monkeez.com.au

Zero Touch Tapware



GUARDIAN[®] TAPWARE




Wall Mount Bottle Filler with Bench Mount Sensor

T-3MSS-BFSB (battery operated)


T-3MSS-BFSM (mains operated)

- Infrared 6 Sec Timed Sensor
- Full S/S Construction
- Equipped with 3monkeez Sensor Technology for Hands-Free Operation
- Sensor is Bench Mounted
- Available as Battery Powered or Mains Operated
- ½" FI BSP Inlet
- WELS 6 Star 3LPM
- Working Pressure Range 150kPa-500kPa
- Maximum Operating Temperature 40 Degrees
- Battery Powered – 2x CR123 3V Lithium Batteries Estimates 80,000 Cycles



Top



Front



Side



*Exclusions apply

3monkeez.com.au

Zero Touch Tapware





GUARDIAN[®] TAPWARE

Wall Mount Bottle Filler with Wall Mount Sensor

T-3MSS-BFSWB (battery operated)

T-3MSS-BFSWM (mains operated)

- Infrared 6 Sec Timed Sensor
- Full S/S Construction
- Equipped with 3monkeez Sensor Technology for Hands-Free Operation
- Sensor is Wall Mounted
- Available as Battery Powered or Mains Operated
- ½" FI BSP Inlet
- WELS 6 Star 3LPM
- Working Pressure Range 150kPa-500kPa
- Maximum Operating Temperature 40 Degrees
- Battery Powered – 2x CR123 3V Lithium Batteries Estimates 80,000 Cycles



*Exclusions apply

3monkeez.com.au

Zero Touch Tapware




GUARDIAN[®] TAPWARE

Bench Mount Sensor Bottle Filler


T-3MSS-HMSBFB (*battery operated*)

T-3MSS-HMSBFM (*mains operated*)

- Battery Operated or Mains Powered
- Infrared Sensor
- Spout Locks Into 8 Different Positions
- Includes Flexi Hose – ½" FI BSP
- Full S/S Construction
- WELS 6 Star 2.5LPM
- Working Pressure Range 150kPa-500kPa
- Maximum Operating Temperature 70 Degrees
- Battery Powered – 2x CR123 3V Lithium Batteries Estimates 80,000 Cycles



Front



*Exclusions apply

3monkeez.com.au

Accessories & Spare Parts



GUARDIAN[®]
TAPWARE



Timed 6 Second Sensor Conversion Kit with Bench Mount Sensor


T-3MSSP-SCK-B (*battery operated*)

T-3MSSP-SCK-M (*mains operated*)




- Timed 6 Second Sensor Conversion Kit for 3monkeez Bib Taps, Pillar Taps, Standard Bubblers and Bottle Filler.
- Kit Includes Bench Mount Sensor, Solenoid with Case, Tap Control Cap, Battery Pack or Transformer
- Battery Powered – 2x CR123 3V Lithium Batteries Estimates 80,000 Cycles



Top



Side



*Exclusions apply

3monkeez.com.au

Accessories & Spare Parts



GUARDIAN[®] TAPWARE



Timed 6 Second Sensor Conversion Kit with Wall Mount Sensor


T-3MSSP-SWCK-B (battery operated)

T-3MSSP-SWCK-M (mains operated)






- Timed 6 Second Sensor Conversion Kit for 3monkeez Bib Taps, Pillar Taps, Standard Bubblers and Bottle Filler.
- Kit Includes Wall Mount Sensor, Solenoid with Case, Tap Control Cap, Battery Pack or Transformer
- Battery Powered – 2x CR123 3V Lithium Batteries Estimates 80,000 Cycles



Top



Side



*Exclusions apply

3monkeez.com.au

Accessories & Spare Parts



GUARDIAN[®] TAPWARE

Sensor Tapware Spare Parts

T-3MSSP-HMST-M

- Sensor Tap Transformer with 800mm Cable

T-3MSSP-HMST-3M

- Sensor Tap Transformer with 3m Cable

T-3MSSP-HMST-BP

- Sensor Tap Battery Case and Batteries
- Battery Powered – 2x CR123 3V Lithium Batteries Estimates 80,000 Cycles

T-3MSSP-HMST-CBS

- Sensor Tap Solenoid and Case

T-3MSSP-SEN6

- 6 Second Timed Flow Sensor Only for Bench or Boxed Splashback Installations

T-3MSSP-SENW6

- 6 Second Timed Flow Sensor Only for Wall Installations

T-3MSSP-SENEXT

- Pair Extension Cables to Suit Sensor Range - 2m Length

T-3MSSP-BOSCAP

- 2x Caps with Indicators Suit Sensor Range



T-3MSSP-HMST-M



T-3MSSP-HMST-3M



T-3MSSP-HMST-BP



T-3MSSP-HMST-CBS




T-3MSSP-SENW6



T-3MSSP-SEN6



T-3MSSP-SENEXT



T-3MSSP-BOSCAP

*Exclusions apply

3monkeez.com.au





NSW	02 9627 6111	WA	08 6305 0681	TAS	03 6344 7060
VIC	03 9357 6562	SA	0417 731 718	NT	0447 382 658
QLD	07 3881 0322	ACT	0408 446 961	FNQ	07 4775 6956

3monkeez

www.3monkeez.com.au
sales@3monkeez.com.au